



# TCS 5500 Conference system



**televic**

Providers of reliable interaction



**TCS 5500:** the ideal solution for:

- Boardrooms
- City halls
- Auditoria
- National and regional parliaments
- International institutions

# TCS 5500

## The most advanced and versatile conference system

Used in the most demanding environments worldwide.

From boardroom and small scale conference installations...  
... To the most complex and demanding applications.



**televic**

Providers of reliable interaction

# Key features

The TCS 5500 can be matched to any kind of application. Due to the scalable architecture and the numerous add-ons in software and hardware it can be optimised to suit the needs of any installation. From small boardrooms with a few discussion units to complex multi-room installations with simultaneous translation, voting, room coupling and central control, the TCS 5500 does it all.



## Scalability

The TCS 5500 Conference System has a fully scalable architecture, allowing optimisation for any size of installation: from the smallest boardroom to the largest multi-room conference centre.



## Easy installation

The TCS 5500 uses standard computer network cabling: RJ-45 connectors, Category 5 cable, ... Installation was never easier! Furthermore, software in the central unit takes care of a full automatic set-up. Initialisation and configuration are done through the push of a button.



## IP connectivity

The TCS 5500 central equipment is directly connected to your IP network. This allows remote control & maintenance, centralised management & monitoring.



## Interconnection

The TCS 5500 conference system offers any possible interconnection to the outside world. Besides its IP and serial interface for communication and control, it also offers balanced and unbalanced audio in- and outputs. Additional interfaces provide connections to the digital world using the AES/EBU or SP/DIF standards.



## Mobile extensions wired/wireless

The TCS 5500 offers full compatibility with Televic mobile units. Fixed installs can thus be extended with a number of mobile units to cope with a temporary or permanent increase in participants.



### Multi session management

Linked through IP multiple TCS 5500 systems become one single network, offering centralised room configuration, room coupling, multi-session management and centralised control.



### Diagnostics & system redundancy


The TCS 5500 is designed to obtain a high level of reliability. Real-time diagnostics, a fail-safe design and hot-swap technology guarantee a maximum availability.



### Customisation to your needs

Televic is organised to offer customisation of room equipment to cope with architectural and ergonomical constraints. Software adaptation and customisation provides the answer to specific customer needs or legal requirements.





Voting display

# Conference room



Talk



Listen



Vote



## Remote conference rooms

### Interpretation

French booth

Russian booth

## Central equipment

Central unit

Conference network Extension Unit

Analog & Digital Audio interfacing units



Wireless

## Multiple configuration possibilities



IP network

## Control

- Microphone management
- Voting management
- Interpreter management



## Remote

- Site management
- Multi session management & room coupling
- Remote maintenance



# televic

Providers of reliable interaction

[www.televic.com](http://www.televic.com)



Televic NV (main office)  
Leo Bekaertlaan 1  
B-8870 IZEGEM  
BELGIUM  
T. +32 (0)51 303045  
F. +32 (0)51 310670



AVEXIA Ltd  
58 Church Street  
Winchester, Hampshire SO21 3DB  
UNITED KINGDOM  
T. +44 (0)1962 774762  
E. [info@avexia.co.uk](mailto:info@avexia.co.uk)  
[www.avexia.co.uk](http://www.avexia.co.uk)